ELSEVIER

Journal of Immunological Methods 201 (1997) 243–244

JOURNAL OF IMMUNOLOGICAL METHODS

Contents of volume 201 (1997)

Number 1 – 14 February 1997

Research reports

Cytotoxic T lymphocyte (CTL) adherence assay (CAA): a non-radioactive assay for murine CTL recognition of peptide-MHC class I complexes
G.R. Leggatt, M.A. Alexander-Miller, A. Kumar, S.L. Hoffman and J.A. Berzofsky (USA) 1

Large scale isolation of intact rat basophilic leukemia (RBL-2H3) cells
M.M. Hamawy and R.P. Siraganian (USA) 11

Fluorescence depolarization as an early measure of T lymphocyte stimulation
M.R. Kaplan, E. Trubnykov and G. Berke (Israel) 15

Engineering of Fc_1 and Fc_3 from human immunoglobulin G to analyse subclass specificity for staphylococcal protein A
L. Jendeberg, P. Nilsson, A. Larsson, P. Denker, M. Uhlén, B. Nilsson and P.-Å. Nygren (Sweden) 25

Reliable cloning of functional antibody variable domains from hybridomas and spleen cell repertoires employing a reengineered phage display system
A. Krebber, S. Bornhauser, J. Burmester, A. Honegger, J. Willuda, H.R. Bosshard and A. Plückthun (Switzerland) 35

Quantitative analysis of the products of IgG chain recombination in hybrid hybridomas based on affinity chromatography and radioimmunoassay
Y.S. Massino, N.N. Dergunova, E.A. Kizim, M.B. Smirnova, E.B. Tereshkina, G.I. Kolyaskina and A.D. Dmitriev (Russia) 57

High-level secretion of two antibody single chain Fv fragments by *Pichia pastoris*
P. Eldin, M.E. Pauza, Y. Hieda, G. Lin, M.P. Murtaugh, P.R. Pentel and C.A. Pennell (USA) 67

Site-specific photobiotinylation of immunoglobulins, fragments and light chain dimers
G. Pavlinkova, K. Rajagopalan, S. Muller, A. Chavan, G. Sievert, D. Lou, C. O'Toole, B. Haley and H. Kohler (USA) 77

Counterimmunoelectrophoresis with serum prediffusion: an improved method for the detection and identification of antibodies against extractable nuclear and cytoplasmic antigens
M.J.F. Walravens, H. Vanherrewegen, F. Lacquet, G. Godefridis, G. Korevits, E. Stevens, G. Marien and G. Molenberghs (Belgium) 89

Statistical analysis of highly skewed immune response data
D. McGuinness, S. Bennett and E. Riley (UK) 99

The serum albumin-binding region of streptococcal protein G: a bacterial fusion partner with carrier-related properties
A. Sjölander, P.-Å. Nygren, S. Ståhl, K. Berzins, M. Uhlén, P. Perlmann and R. Andersson (Sweden) 115

Detection and quantification of cyclosporine in body fluids using an interleukin-2 reporter-gene assay
P.R. Wenner, F. Di Padova and P.A. Keown (Switzerland, Canada) 125

Errata

Erratum to "Implications for the assay and biological properties of interleukin-3: results of a WHO international collaborative study" [J. Immunol. Methods 194 (1996) 1–12]
A.R. Mire-Sluis, R. Gaines Das and R. Thorpe (UK) 137

Erratum to "Implications for the assay and biological activity of interleukin-4: results of a WHO international collaborative study" [J. Immunol. Methods 194 (1996) 13–25]
A.R. Mire-Sluis, R. Gaines Das and R. Thorpe (UK) 139

Notes to authors 141

Announcement 143

Number 2 – 28 February 1997

Research reports

Quantitative analysis of the usage of human T cell receptor α and β chain variable regions by reverse dot blot hybridization
T. Yoshioka, T. Matsutani, S. Iwagami, Y. Tsuruta, T. Kaneshige, T. Toyosaki and R. Suzuki (Japan) 145

Evaluation of peptide-HLA binding by an enzyme-linked assay and its application to the detailed peptide motifs for HLA-DR9 (DRB1* 0901)
S. Fujisao, Y. Nishimura and S. Matsushita (Japan) 157

Enzyme-linked immunosorbent assay for the detection of total cathepsin H in human tissue cytosols and sera
A. Schweiger, B. Štabuc, T. Popović, V. Turk and J. Kos (Slovenia) 165

Fluorescent staining of κ opioid receptors using naltrexamine derivatives and phycoerythrin
D.M.P. Lawrence, I. Hutchinson, A. Seyed-Mozaffari, S. Archer and J.M. Bidlack (USA) 173

Glycation products in aged thioglycollate medium enhance the elicitation of peritoneal macrophages
Y.M. Li, G. Baviello, H. Vlassara and T. Mitsuhashi (USA) 183

Assessment of affinity constants by rapid solid phase detection of equilibrium binding in a flow system
J. Piehler, A. Brecht, T. Giersch, B. Hock and G. Gauglitz (Germany) 189

Optimization of the isolation and effective use of mRNA from rat mast cells
M. Gilchrist, A.J. MacDonald, I. Neverova, B. Ritchie and A.D. Befus (Canada) 207

Kinetic measurement of the membranolytic activity of serum complement using bioluminescent bacteria
M. Virta, M. Karp, S. Rönnemaa and E.-M. Lilius (Finland) 215

Determination of the binding affinity of an anti-CD34 single-chain antibody using a novel, flow cytometry based assay
C.A. Benedict, A.J. MacKrell and W.F. Anderson (USA) 223

Reduction of bovine immunoglobulin contamination from monoclonal antibodies by SOURCE™ 15PHE chromatography
H. Grunfeld and P. Moore (USA) 233

Contents of volume 201 243

Notes to authors 245

Announcement 247